ELSEVIER

Fluid Phase Equilibria 133 (1997) 269–270

FLUID PHASE EQUILIBRIA

Contents of Volume 133 (1997)

Vol. 133, Nos. 1–2

Preface vii

Theoretical papers

Intermolecular forces between hydrocarbons and ethers, ketones, or alcohols
C.J. Wormald (Bristol, UK) 1–10

Second virial coefficients of normal alkanes, linear 1-alkanols (and water), alkyl ethers, and their mixtures
C. Tsonopoulos (Florham Park, NJ, USA) and J.H. Dymond (Glasgow, UK) 11–34

Pressure effects on the thermodynamic properties of (*n*-hexane + 1-hexanol) binary mixtures
J.-P.E. Grolier (Aubière, France) and S.L. Randzio (Warsaw, Poland) 35–44

Ability of the Nitta–Chao model for the prediction of pressure and temperature dependence of the volumetric properties of *n*-alkane + 1-alkanol systems
E. Carballo, J. Peleteiro, C.A. Cerdeiriña, C.A. Tovar and J.L. Legido (Orense, Spain) 45–55

Estimation of parameters of Nitta–Chao model for linear monoether + 1-alkanol mixtures
J.L. Legido, J. Vijande, J. García, T.P. Iglesias (Vigo, Spain), E.R. López and J. Fernández (Santiago de Compostela, Spain) 57–72

Limiting activity coefficients in the 1-alkanol + n-alkane systems: survey, critical evaluation and recommended values, interpretation in terms of association models
V. Dohnal and P. Vrbka (Prague, Czech Republic) 73–87

Vapor–liquid equilibrium of the methanol–[1,1-dimethylethyl methyl ether (MTBE) or 1,1-dimethylpropyl methyl ether (TAME)] systems
B. Coto, F. Mössner, C. Pando, R.G. Rubio and J.A.R. Renuncio (Madrid, Spain) 89–103

An exact quasi-chemical equation for excess heat capacity with W-shaped concentration dependence
J.C. Cobos (Valladolid, Spain) 105–127

A new evaluation of $p\rho T$ measurements on the methanol vapor–steam mixture and its pure components with corrections for adsorption and impurity effects
E. Bich, H. Hendl and E. Vogel (Rostock, Germany) 129–144

Experimental papers

Solubility of long-chain *n*-alkanols in dipropyl and dibutyl ether
J. Rolińska, E. Krumplewska and T. Hofman (Warsaw, Poland) 145–154

Isothermal vapor–liquid equilibria of binary mixtures containing methyl *tert*-butyl ether (MTBE) and/or substitution hydrocarbons
L.M. Lozano, E.A. Montero, M.C. Martín and M.A. Villamañán (Valladolid, Spain) 155–162

Excess thermodynamic functions for ternary systems containing fuel oxygenates and substitution hydrocarbons. 1. Total-pressure data and G^E for methyl tert-butyl ether–benzene–cyclohexane at 313.15 K
J.J. Segovia, M.C. Martín, C.R. Chamorro and M.A. Villamañán (Valladolid, Spain) 163–172

Excess molar volumes of ternary mixtures di-*n*-butyl ether + 1-pentanol + *n*-octane at 298.15 K
E. Jiménez, C. Franjo, L. Segade (Coruña, Spain), J.L. Legido (Vigo, Spain) and M.I. Paz Andrade (Santiago de Compostela, Spain) 173–177

Excess molar enthalpies for di-*n*-butyl ether + 1-propanol + *n*-octane at 298.15 K
E. Jiménez, C. Franjo, L. Segade (Coruña, Spain), J.L. Legido (Vigo, Spain) and M.I. Paz Andrade (Santiago de Compostela, Spain) 179–185

Excess molar volumes of 1-propanol + *n*-polyethers at 298.15 K
A. Serna, I. García de la Fuente, J.A. González and J.C. Cobos (Valladolid, Spain) 187–192
Application of the extended real associated solution model to predict thermodynamic properties of *n*-alcohol + linear monoether mixtures
T. Hofman (Warsaw, Poland) and C. Casanova (Valladolid, Spain) 193–211
Mixing properties of (methanol, ethanol, or 1-propanol) with (n-pentane, n-hexane, n-heptane and n-octane) at 298.15 K
B. Orge, M. Iglesias, A. Rodríguez, J.M. Canosa and J. Tojo (Vigo, Spain) 213–227
Experimental and predicted excess enthalpies of the working pairs (methanol or trifluoroethanol + polyglycol ethers) for absorption cycles
E.R. López, J. García (Santiago, Spain), A. Coronas (Tarragona, Spain) and J. Fernández (Santiago, Spain) 229–238
Vapour–liquid equilibrium of (ethers + hydrocarbons or methanol or water) for motor gasoline modelling
A.Q. Clark, S.E. McBain (Sunbury-on-Thames, UK) and J. Kilner (London, UK) 239–246
Excess properties of propan-1-ol + polyether and propan-1-ol + polyamine mixtures. Experimental results of H^E and V^E and application of a multiple cross-association theory based on the ERAS model
S. Mohren and A. Heintz (Rostock, Germany) 247–264

Subject Index 265

Author Index 267

Contents of Volume 133 269–270